

# Direct access to the world's knowledge

## Empower your students and faculty with an unparalleled way to discover and understand research.

There is a wealth of information being published, and fields are becoming increasingly interdisciplinary. New tools are necessary for properly engaging with this information and separating the signal from the noise.

## scite helps you engage with, manage, and sift through the firehose of information being published

- Evaluate how reliable research is by reading what newer papers say
- Chain citations, forwards and backwards, to trace ideas and conversations between experts
- Configure alerts on papers, searches, authors, and dashboards to make new, relevant parts of the conversation come to you
- Metrics for reporting at a departmental / institutional level to understand key research performance metrics with nuance

Biological Psychiatry 2006 DOI: 10.1016/j.biopsych.2005.08.012 View full text | Buy / Rent full text | Set alert | Twitter | Facebook

**Association between Amygdala Hyperactivity to Harsh Faces and Severity of Social Anxiety in Generalized Social Phobia**

K. Luan Phan<sup>1</sup>, Daniel A. Fitzgerald<sup>2</sup>, Pradeep J. Nathan<sup>3</sup>, Manuel Tancer<sup>4</sup>

Help me understand this report

Search citation statements  
Context, author(s), title etc. Q

Order By: Relevance

Paper Sections

- Discussion 100
- Introduction 96
- Methods 15
- Results 8

**Cited by 446 publications** (35)


Anticipatory Activity in Anterior Cingulate Cortex Can Be Independent of Conflict and Error Likelihood  
Aerts<sup>1</sup>, Roelofs<sup>2</sup>, Turemout<sup>3</sup> 2008 Journal of Neuroscience

These findings do not replicate previous studies. In addition to amygdala and insula, anterior cingulate cortex and medial prefrontal cortex regions are also implicated in fear and anxiety neural circuitry (Elliott, 2012), and SAD individuals exhibit altered functioning in these areas in response to threatening or negative stimuli (Bull et al., 2014). Specifically, studies largely show increased activity in anterior cingulate regions (e.g., Amin et al., 2005; Labuschagne et al., 2012; Phan et al., 2006; but see Fu et al., 2013) and medial prefrontal cortex areas (e.g., Stein et al., 2002; Strubbe et al., 2005; Labuschagne et al., 2012) compared to controls, consistent with evidence for these regions in identifying and expressing negative emotion (Elliott et al., 2011).

Section: Discussion mentioning confidence: 58%

Altered time course of amygdala activation during speech anticipation in social anxiety disorder  
Davies<sup>1</sup>, Young<sup>2</sup>, Tene<sup>3</sup> et al., 2017 Journal of Affective Disorders

scite report page showing how Phan et al.'s 2006 paper was cited by 446 papers that came after. The first result is a Citation Statement in the Discussion section of Davies et al. 2017 indicating contrasting evidence. Chain citations to see others in the network by hovering over the in-text reference.



Sample dashboard with aggregate metrics. Configure alerts to make statements referencing any of those papers come to you.

**Join over 150,000 scientists, writers, publishers, librarians and researchers across the world championing reproducible science.**